



Precision on the Move

*Design Guide and
Engineer's Reference
for Metal Belts*



Belt Technologies helps our client companies achieve optimal performance from machinery for precision positioning, timing, conveying, power transmission, packaging, and automated manufacturing operations. For more than 25 years, we have provided a comprehensive resource for application-specific design and manufacture of metal belts, metal tapes, and pulleys.

Metal belts possess many unique properties that result in superior precision, control, longevity, and cost effectiveness. In many cases they are preferable to other belt types (such as rubber and fiberglass) and other power transmission or motion control components (such as linear actuators, lead screws, and chains). Frequently they are the only design option.

To put the advantages of metal belt systems to work, Belt Technologies offers extensive in-house capabilities:

- Engineering and Design Assistance
- Metallurgical Consulting
- High Energy Beam Fabrication
- Complete Tooling Design and Manufacture

Our climate controlled facilities are equipped to produce metal belts, drive tapes, and complementary pulleys in prototype and high volume production quantities.

This document is provided for information and reference. It is a design guide, not a design textbook. Belt Technologies cannot accept responsibility for actual designs attempted using this manual as a basis. Readers should feel free to contact our engineering staff for further information and advice on unusually perplexing applications.



CONTENTS

3 WHY CONSIDER METAL BELTS FOR YOUR APPLICATION

4 METAL BELTS, DRIVE TAPES, & APPLICATIONS

5 - 6 PULLEYS
 Designs
 Materials
 Tolerances
 Types of Pulleys

7 SURFACE TREATMENTS
 Teflon
 Neoprene or Urethane
 Silicone
 Hard Coat Anodize
 Options

8 - 14 DESIGN CONSIDERATIONS
 System Design Guidelines
 Loading
 Accuracy
 Positioning Accuracy
 Repeatability
 Belt Tracking
 Timing
 Tensioning
 System Frame Stiffness
 Reverse Bends
 Cantilevered Shafts
 Magnetic Permeability
 Belt Sag
 Elevated Temperatures
 Belt Creep
 Design Imposed Restrictions
 Belt Life

15 APPENDIX:
 METAL BELT MATERIALS

METAL BELT DESIGN CHECKLIST
 Inside Rear Cover

Belt Technologies has produced this Design Guide to give engineers a reference publication detailing fundamentals of metal belt design and application, with topics including:

- Why Consider Metal Belts for Your Application
- Metal Belts, Drive Tapes, and Applications
 - Pulleys
 - Surface Treatments
 - Design Considerations
 - Belt Life
- Metal Belt Materials (Appendix)

We hope this information helps you understand the many benefits of metal belts and gives you the knowledge you need to specify metal belts with confidence.

Because no two customers have identical needs, Belt Technologies designs each product to unique specifications. Therefore, it is important to keep in mind that this Design Guide cannot include every possible application. There may be excellent applications for metal belts, perhaps yours, that are not described.

We invite you to contact Belt Technologies to discuss your ideas with a member of our engineering staff. Please use the design checklist on the inside back cover to help us better understand your project. Our company's long-term success is in large measure due to our ability to continually advance the science of metal belts and develop new solutions.

Engineers who specify metal belts have options available to them that they do not have when using other products or materials. Some important features and benefits are discussed below.

• **HIGH STRENGTH-TO-WEIGHT RATIO:**

This is an advantage in practically every application where high strength, light weight, or both are important.

• **DURABILITY:**

Metal belts can withstand sustained exposure to extremes of temperature, hostile environments, and vacuum. A variety of alloys may be used, each with its own resistance to chemicals, humidity, and corrosion. Engineers generally select a belt material based on physical properties, availability, and cost.

• **NO LUBRICATION:**

Unlike the links of a chain, a metal belt is a single element and, therefore, does not generate any component friction that requires lubrication. This reduces system maintenance, improves reliability, and keeps the system clean.

• **NONSTRETCHABLE:**

Spring steels with a high modulus of elasticity make metal belts virtually nonstretchable as compared to other belt types and chain. This makes them ideal in high performance applications for precision positioning.

• **SMOOTH OPERATION:**

Metal belts are free from the pulsation of chordal action often seen in other belt types and chain. This results in precise translation of the control system motion profile.

• **ACCURATE AND REPEATABLE:**

Metal timing belts can be fabricated with a pitch accuracy of ± 0.0005 inches station to station. This high degree of precision is extremely valuable in designing indexing, positioning, or processing equipment.

• **GOOD THERMAL AND ELECTRICAL CONDUCTIVITY:**

Metal belts can transmit energy in the form of heat, cold, and electricity.

• **NO STATIC BUILD UP:**

Metal belts discharge static electricity, a crucial capability in the manufacture of electronic components such as integrated circuits and surface mount devices.

• **CLEAN:**

Unlike HTD or flat neoprene belts, metal belts do not generate particulate and are ideal for food and pharmaceutical processing.

• **CLEAN ROOM COMPATIBLE:**

Metal belts do not require lubricants and will not generate dust that would introduce foreign substances into clean room environments. Additionally, they may be sterilized in an autoclave.

• **PRECISE CONSTRUCTION:**

Edges are smooth and dimensions are tightly tolerated.



PLAIN BELTS:

Plain metal belts are created by welding together two ends of a metal tape to form an endless belt. High energy beam welding techniques, pioneered in the space program, form a high integrity butt weld that is extremely strong and smooth. Some typical plain metal belt applications include:

- Conveying
- Heat Sealing
- Casting
- Imaging

PERFORATED BELTS:

Perforated belts are plain metal belts manufactured with precision perforations which can be produced mechanically or by using non-impact methods. They are used in applications such as:

- Timing
- Carriage Positioning
- Vacuum Conveying
- Web Conveying
- Indexing

Figure 1. Plain Belts




Figure 2. Perforated Belts




Figure 3. Belts with Attachments




Figure 4. Drive Tapes

BELTS WITH ATTACHMENTS:

Perforated metal belts can also be fitted with precision machined, cast, or molded attachments to provide unsurpassed positional accuracy and repeatability, to act as a product transport device, or to control specific stages of a manufacturing process. Applications include:

- Precision Position Indexing for Automated Assembly
- Lead Frame Drives
- Timed Transfer Lines
- Packaging Systems

DRIVE TAPES:

Metal drive tapes are made of the same high quality strip as metal belts but, unlike belts, drive tapes are not endless. Drive tapes are fitted with specialized end attachments or perforations. They can perform with zero or near zero backlash in applications including:

- Carriage Positioning
- Plotters
- Robot Arms
- Read/Write Head Positioning
- Optical Element Drives

COMBINATION BELTS/TAPES:

Often, combinations of belt options are required in order to satisfy system objectives. Attachments or pockets may be utilized to locate components while a vacuum drawn through the belt's perforation is employed to secure the component in place during transport. Specific edge geometries may be developed to conform to component profiles while attachments locate the components and satisfy timing requirements. Applications include:

- Timed Parts Nesting
- Component Orientation and Conveying
- Automated Dimensional/Electrical Inspection
- High Speed Packaging
- Cutting





Figure 5. Combination Belts



All metal belts and drive tapes travel around pulleys. Belt Technologies custom designs and manufactures pulleys that optimize the unique characteristics of metal belts.

DESIGNS:

Most pulleys for belt systems take one of three forms: round stock, I-beam, or capped tube. Any of these pulley types may be designed with drive lug timing pockets, relief channels, conventional timing teeth or Belt Technologies' patented ball bearing timing teeth.

Round Stock

Because of their relatively low cost, round stock pulleys are incorporated into most system designs. Normally, round stock pulleys are used in sizes up to 6" (152mm) outer diameter with widths up to 4" (102mm).

I-Beam

As diameter and width increase, rotational inertia considerations may require a pulley with an I-beam cross section. An I-beam profile is machined into a round stock pulley in a fashion that maintains the structural integrity of the pulley while removing substantial amounts of weight, therefore reducing the effects of rotational inertia. Machining holes into the beam section further reduces weight.

Capped Tube

These pulleys employ end caps attached to the ends of tube stock having sufficient wall thickness to assure adequate strength. The capped assembly is then machined to meet rigid specifications for roundness and concentricity. Again, it is crucial to reduce weight without compromising strength.

MATERIALS:

To address the needs of your specific applications, pulleys can be manufactured from a wide range of materials.

Aluminum

Aluminum with hard coat anodization is a frequent choice. The combination is strong, light weight, tough, and cost effective. Extremes of temperature can be a limiting factor, however, and out gassing may be an issue in vacuum environments.

Stainless Steel

In corrosive operating environments, stainless steel is a good choice. Stainless steel also offers excellent wear and strength characteristics.

There are many different alloys available, each with special advantages.

Non-Metals

Certain plastics can offer excellent wear and strength characteristics. In some applications and in high volume, plastic can be less costly than metal pulleys.

TOLERANCES:

Table 1 shows typical tolerances for the primary design dimensions of timing and friction drive pulleys. These tolerances are applicable to the three pulley body designs: round stock, I-beam, and capped tube.

Table 1. Pulley Tolerance Up to 14" Diameter

	TIMING PULLEY Inches (mm)	FRICTION PULLEY Inches (mm)
Tape Support Diameter (O.D.)	±.0015" (.025)	±.002 (.051)
Face Width	±.010" (.127)	±.010" (.127)
Bore Diameter	+.001"/-0.0000" (+.025/-0.00)	+.002"/-0.0000" (+.051/-0.00)
Concentricity	.002" (.025)	.002" (.025)
Timing Location	±10 arc seconds	N/A



TYPES OF PULLEYS:

Even with all the variations in form, material, and design features, pulleys generally serve one of two purposes: friction driving or timing.

Figure 6.
Pocketed and Ball Bearing Pulleys



Friction Drive

Friction drive pulleys are generally flat faced with no timing element.

Crowning pulley faces is not generally recommended. To discuss the reasons why, please contact a Belt Technologies engineer who is familiar with metal belt dynamics. When crowning is appropriate, two geometries may be used: full radius and trapezoidal. A full radius crown is less stressful on the belt, but is more difficult to machine and, therefore, more costly. The trapezoidal crown is more cost effective and works well, but it should be avoided in applications having high belt tensile loads due to stress risers at the crown's transition points between angled flats. Blending these points can be helpful but does not eliminate the high stress risers.



Timing

Timing pulleys have either teeth or pockets, located radially around the outside diameter of the pulley body. Teeth engage timing holes in the metal belt; pockets engage drive lugs on the belt's inner circumference. It should be noted that even in these pulleys, the driving is accomplished by frictional forces generated between the flat belt and pulley surfaces. Teeth or pockets are used only for timing, not for power transmission.

Timing elements, particularly timing teeth, must be hard. Hardness is essential to ensure minimal wear from successive engagements of belt and pulley. As an example, Belt Technologies' patented pulley uses hardened ball bearings as teeth.

When designing a two pulley timing system, the drive pulley should be timed while the idler, or driven pulley, should be a friction drive pulley with relief channels for lugs if necessary.

NOTE: Both friction and timing pulleys can be designed as narrow bodied rolls. Essentially, the narrow bodied roll is a pulley whose width is narrower than the belt that is running on it. They can make belt tracking easier and reduce total pulley weight as well as cost. The pulley face is typically not less than 1/2 the width of the belt.



Surface treatments give engineers the opportunity to alter the natural surface properties of a metal belt, tape, or pulley. Surface treatments may be applied to one or both surfaces of a belt or tape, or to a pulley. Application methods include coating, plating, laminating, and bonding.

Depending on the method selected, the thickness of a surface treatment may be as little as .002". The surface can be uniform or, to provide pockets on the belt surface for transporting small components, punched or die cut. Vacuum holes can be combined with pockets for more positive orientation and retention of delicate parts during transport.

For primary mechanical and physical characteristics of popular surface treatments, see Table 2.




Figure 7. Surface Treatments

TEFLON®:

Teflon became a household word as a non-stick coating for cookware. Teflon is actually available in a variety of formulations, each having distinct operating properties regarding release characteristic, lubricity, resistance to abrasion, temperature range, and color.

ECLIPSE®:

FDA compliant Eclipse coatings are high release and extremely wear resistant coatings. It's unique three-coat, high cure, internally reinforced, non-stick surface offers abrasion resistance over 10 times that of Teflon. It is household chemical resistant and features high non-stick properties, stain resistance and performance at high temperatures. It is different from all other non-stick coatings in that the basecoat contains a carefully chosen and blended combination of resins.

The midcoat, (actually a basecoat used in other reinforced systems), also contains the special reinforcing element, while the topcoat is rich in fluoropolymers, and is dedicated entirely to release properties (non-stick characteristic).

URETHANE OR NEOPRENE:

Both urethane and open or closed cell neoprene change the surface coefficient of friction of a metal belt and also can act as a nest for delicate parts. These materials are securely bonded to a metal belt. Prior to bonding, they can be die cut when a specific pocket geometry is important.

SILICONE:

When the environment is not suitable for other coatings, silicone may be a good option. Silicone has unique properties including a high friction surface, release properties, the ability to withstand elevated temperatures, and extreme flexibility. Bonding silicone to metal belts can be difficult, but workable solutions do exist.

HARD COAT ANODIZE:

Hard coat anodization is an electrochemical process used to increase the hardness and wear characteristics and corrosion resistance properties of aluminum pulleys. The process forms a layer of aluminum oxide which becomes an integral part of the metal, both penetrating and building up on all pulley surfaces. The coating thickness is uniform and mirrors the precision of the pulley itself.

OPTIONS:

The range of options for surface treatments is so large that it cannot be fully documented in this guide. Unusual surface treatments have included fluorocarbon compounds, copper cladding, gold plating, and powdered diamond bonding. Appropriate specifications will be a function of application and technology.

The Belt Technologies engineering staff will be pleased to discuss issues related to your specific needs.

Table 2. Surface Treatment Characteristics

COATING MATERIAL	CHIEF CHARACTERISTICS	OPERATING TEMPERATURE	THICKNESS Inches (mm)	COLOR
TEFLON® TFE	Anti-Stick	up to 600° F up to 315° C	.001" (.025)	Black Green
TEFLON® FEP	Corrosion Resistance Low Temperature	up to 428° F up to 220° C down to -328° F down to -200° C	.001" to .030" (.025 to .75)	Metallic Gray
TEFLON® SILVERSTONE	Food Contact Approved	up to 600° F up to 315° C	.001" to .006" (.025 to 0.15)	Metallic Gray
TEFLON® 550	Hard Teflon for Abrasion Resistant	up to 446° F up to 230° C	.001" to .0015" (.025 to .038)	Black
SILICONE RUBBER	Excellent Release High Friction	up to 392° F up to 200° C	.004" (0.10)	Various
POLYURETHANE Moldable	High Friction	up to 158° F up to 70° C	.008" to .125" (.203 to 3.175)	Various
NEOPRENE RUBBER	Compressibility Die Cut Pockets	up to 158° F up to 70° C	.016" to .250" (.40 to 6.4)	Black

NOTE TO THE DESIGNER:

With information from previous sections, you may have begun thinking about the design for your metal belt. This section builds on the previous sections by incorporating elements which will help you optimize system performance. Since every design is unique, it is not possible to discuss every design consideration. You are invited to review your design ideas, numbers, and methods with a Belt Technologies engineer.

SYSTEM DESIGN GUIDELINES:

- Any system with metal belts is generally enhanced by following these guidelines:
- Use as few pulleys as possible.
 - Use large pulley diameters.
 - Use pulley systems which avoid reverse bending.
 - Use large length-to-width ratios.

LOADING:

Proper system design includes an examination of the various loads transmitted to the belt in use. In addition to steady state operating conditions, consideration must be given to any unusual or intermittent conditions such as potential jam-uploading, high startup loads, or indexing. In general, the belt should be designed to ensure that high loading, should it occur, will not exceed the belt's ultimate strength.

To determine the stress factor on any given belt, add together the results from the following four columns.



Figure 8. Loading Stress

1. Determine the working load (Fw) on the belt.

The working load can be determined from the driving motor torque rating, the load to be moved or accelerated, or by an analysis of the system requirements. For a simple two-pulley system as shown in Figure 8, the working load on the belt (Fw) is $F_w = F_1 - F_2$ where:

D_1 and D_2 = pulley diameters

τ_1 and τ_2 = torque action on respective pulleys

F_1 and F_2 = force on belt at each pulley in Newtons

F_w is related to the torque by the equation:

$$F_w = \frac{\tau_1}{1/2D_1} = \frac{\tau_2}{1/2D_2}$$

And to power by:

$$F_w = \frac{33000 \times HP}{V}$$

Where: V = velocity in ft/min

And to acceleration by:

$$F_w = ma = (L/g) \times a$$

Where:

L = load on belt in lbs.

$g = 32.2 \text{ ft/sec}^2$

a = acceleration of load in ft/sec²

2. Determine the highest load (F1) on the belt.

Since $F_w = F_1 - F_2$ as shown in the two pulley example in Step 1, F_1 is the greatest force on the belt. To design for the stress condition resulting from this force, we need to calculate its value.

For a friction drive system to operate without slippage, the two forces, F_1 and F_2 are related by the formula:

$$\frac{F_1 - F_c}{F_2 - F_c} = e^{\mu\theta}$$

Where:

$e = 2.71828$

μ = coefficient of friction between belt and pulley

θ = angle of wrap in radians of belt on pulley

F_c = centrifugal force acting on belt

For a metal belt with a standard finish (such as 0.4 micro-meter) operating on a machined metal pulley, experience has shown the value of μ ranges between 0.25 and 0.45.

One advantage of a thin metal belt is that F_c is usually negligibly small and can be disregarded. Thus, in most cases, the formula can be simplified to:

$$\frac{F_1}{F_2} = e^{\mu\theta}$$

Substituting for F_2 and solving for F_1 , this becomes:

$$F_1 = \frac{F_w e^{\mu\theta}}{e^{\mu\theta} - 1}$$

3. Determine bending stress (Sb) on belt.

A significant bending stress is induced in a metal belt as it is repeatedly flexed over a pulley. This stress must be calculated and added to the working stress S_w (see Step 4) to determine the total stress S_t on the belt.

The formula for the bending stress is:

$$S_b = \frac{Et}{(1-u^2)D}$$

Where:

E = modulus of elasticity in psi

t = belt thickness in inches

D = smallest pulley diameter in inches

u = Poisson's Ratio

This calculation requires an assumption of belt thickness and pulley diameter. Pulley diameter may be the easiest to determine because of space limitation or other design requirements. If this is so, pick the maximum possible pulley diameter, then calculate the appropriate belt thickness based on Table 3.

Table 3. Belt Life

PULLEY DIAMETER TO BELT THICKNESS RATIO	BELT LIFE EXPECTANCY
625:1	1,000,000 cycles or greater
400:1	500,000
333:1	165,000
200:1	85,000
Relationships are based on a two pulley friction drive system.	

4. Determine the total stress (St) on the belt.

The total stress on the belt is the sum of the working stress (S_w) and the bending stress (S_b).

$$S_t = S_w + S_b$$

$$S_w = \frac{F_1}{b \times t}$$

Where:

b = belt width

t = belt thickness

Belt Technologies recommends that S_t not exceed one third the belt material yield strength. For further information, please contact a Belt Technologies engineer.

Belt Technologies recommends a tension of 1000 psi (6.9 N/mm²) per belt strand for timing belts and 2000 - 5000 psi (13.8 - 34.5 N/mm²) per belt strand for plain belts.

TYPICAL SIZES AND SPECIFICATIONS

Metal belts typically range in thickness from 0.002" (0.51mm) to 0.032+ (0.8mm) resulting in pulley sizes of 2" (50mm) to 10" (254mm) in diameter. A typical metal belt with a thickness of 0.005" (0.127mm) with a 1,000,000 cycle life would require pulleys with 3.125" (79.4mm) diameter. Size ranges vary by application and load considerations, so please talk to a Belt Technologies sales engineer for help with your design ideas.

At this point it is necessary to select various parameters and work back through the calculations to find a combination that will satisfy design requirements. Obviously, using a wider belt reduces working stress without changing bending stress. Larger pulley diameters reduce bending stress, or allow use of a thicker belt which in turn reduces working stress.



BELT LENGTH ACCURACY:

One of the most important advantages of a metal belt is its overall accuracy. Perforated belts or belts with attachments can be fabricated with pitch accuracies of ±0.0005". Plain belts and drive tapes can also be fabricated to a high degree of accuracy.

BELT LENGTH:

To calculate a length for a metal belt, use the formula below. It is important to know the ideal design envelope of your system before calculating belt length. Larger pulley diameters usually provide optimum belt life, and pulley diameters can be used to estimate belt thickness. See Table 3 for life expectancy. Once a maximum pulley diameter is known, divide it by the pulley diameter to belt thickness ration from Table 3 for optimum belt life in your application. Typical belt thickness range from 0.002" [0.05mm] to 0.032" [0.813mm], and typical pulley diameters range from 2" up.

$$L=(2 \times C)+(D+t) \pi$$

Where:

L = Belt length

C = Center distance between two pulleys

D = Pulley diameter

t = Belt thickness

$$\pi = 3.14159$$

This defines the appropriate length for metal belt systems incorporating two pulley of identical diameter. For systems with multiple pulleys or pulleys of different diameters, please contact a Belt Technologies sales engineer. Contact information is listed inside the back cover.

BELT STRETCH:

Metal belts are unique, as they will not stretch in normal operation, after achieving a normal preload tension. To calculate preload stretch for a plain belt, use the following equation. For perforated belts, please contact a Belt Technologies sales engineer.

$$\Delta L = PL/AE$$

Where:

ΔL = Stretch in inches

P = Tension load in pounds

L = Initial belt length in inches


A = Belt cross-section area in inches

E = Young's Modulus

(See materials table on page 15)

ZERO BACKLASH:

Zero and near-zero backlash positioning systems can be achieved through the use of metal belts. Run in pairs or with inventive design ideas, these drives can be used anywhere tight tolerances exist for back and forth placement accuracy. The illustrations below offer two typical zero-backlash drive suggestions.



POSITIONING ACCURACY:

Positioning accuracy is directly related to the belt pitch tolerance, typically ±0.0005" (0.013mm) for a metal timing belt. Pitch accumulation can be managed with customized tooling, shown as P1 in Figure 9, or negatively, shown as Ps in the same graphic. Please consult a Belt Technologies engineer on your requirement.




Figure 9. Positioning Accuracy

REPEATABILITY:

Repeatability is the ability of a single pitch, on successive rotations of the belt, to return to a home position within a specified tolerance.

Because metal belts do not stretch, repeatability is typically in the range of 0.002" (0.051mm) to 0.005" (0.127mm).

For plain or perforated belts, belts with attachments, or drive tapes, precise motion can be calculated with a high degree of accuracy. Contact a Belt Technologies sales engineer for assistance in determining the specifications for your system.

BELT TRACKING:

Given that a metal belt will not significantly stretch under tension, tracking a metal belt can be more difficult than tracking other belt types. A metal belt will not stretch to compensate for:

- Lack of system squareness or alignment
- Uncontrolled pulley shaft deflection
- Differential loading
- Belt camber

Among these, the Design Engineer is probably least familiar with belt camber. Camber, or edge bow, is the deviation of a belt edge from a straight line. Every belt has some camber. Metal belt camber is typically as little as .050" (1.27mm) in 8' (2.44mm). When placed in a squared two pulley system and tensioned, one edge of the belt will be tensioned more than the other because it has a shorter edge circumference. This will cause the belt to track away from the tight edge of tension towards the loose edge when the belt is rotated.



Figure 10. Repeatability

The primary objective of any racking technique is to counteract the influence of accumulative negative tracking stresses and forces (previously defined as system squareness, uncontrolled shaft deflection, differential loading, and belt camber) with controlled stresses and forces, thus tuning the belt to run on the system.

ADJUSTABLE PULLEY:

Belt Technologies has patented an Independently Steerable Pulley (ISP) to aid in tracking of all flat belts, including metal belts. In automated systems, the ISP can be fitted with sensors and a servo motor package to deliver hands-free automated tracking of metal belts. Contact your Belt Technologies sales engineer for a supplemental engineering paper on the Independently Steerable Pulley and how it might benefit your application.




Figure 11. Camber

Three basic techniques are used to track belts on systems using friction pulleys, timing pulleys, or both:

- Pulley axis adjustment
- Crowning friction drive pulley
- Forced tracking




Figure 12. Tracking

Pulley Axis Adjustment:

Adjusting the pulley axis in a metal belt system as shown in Figure 13 is the most effective way of tracking a metal belt. Belt edge tensions are changed in a controlled manner, thus steering the belt. The technique is equally applicable to both flat faced and crowned pulleys.

Ideally, both the drive and idler pulleys would have adjustable axes. In reality, however, only the idler is adjusted. The drive pulley is usually difficult to adjust due to its interface with motors or other power transmission devices.

Crowning Friction Drive Pulleys

When crowned friction drive pulleys must be used, it is in conjunction with—not in place of—axis adjustment. This is because crowned pulleys will not self-center a metal belt. Crowned pulleys work best on thin belts as the belt web must conform to the crowned face of the pulley. While increased tension can be used to achieve belt to pulley face conformity, tension cannot be so high as to cause permanent belt deformation. The best face geometry for a crowned pulley is a full radius, with the crowning being no more than the belt thickness.

Figure 14. Forced Tracking





Figure 13. Pulley Axis Adjustment

Forced Tracking

In cases where simple axis adjustment cannot completely eliminate improper tracking, forced tracking methods such as cam followers or glass-filled Teflon® flanges may be necessary and acceptable. System design relationships may need to change, such as using a thicker belt than might be otherwise recommended, since forced tracking techniques can contribute to a decrease in expected belt life.

An alternative forced tracking technique for wider belts employs a V belt bonded to the inner circumference of the metal belt. This two element belt, which Belt Technologies calls Metrak®, distributes tracking stresses on the V belt rather than on the metal belt, thus maximizing belt life in a forced tracking system (Figure 14).

Timing teeth, discussed in the next section, are for timing only and should not be used as a tracking mechanism.

Timing:

Timing pulleys for metal belts are either toothed or pocketed, each engaging respective belt perforations or drive lugs.

Care should always be taken in the design of timing pulleys to ensure that all timing elements have spherical or involute radii. This ensures smooth engagement and disengagement of the belt and pulley. To avoid problems due to accumulated tolerances, the diameter difference between driving and driven components typically should be at least ±0.005" (0.127mm) to ±0.007" (0.178mm). Zero or near zero backlash applications are a special case.

When manufacturing a toothed pulley, each timing tooth is inserted into a hole machined in the pulley body. Great care must be given to the radial location of each tooth to ensure overall pitch accuracy.

While designing a timing pulley, it is critical that the pitch diameter be at the neutral axis of the belt (one half the belt thickness for a thin flat belt), not at the base. Since metal belts are generally thin, there is a temptation to neglect their thickness in calculating the pulley tape support diameter. Failure to include the belt thickness in these calculations results in mismatching of timing elements.

The tape support diameter can be determined by the formula:

$$D = \frac{NP}{\pi} - t$$

Where:

N = number of pitch lengths or teeth on a pulley

P = perforation pitch

t = belt thickness

TENSIONING:


Friction drive systems can operate with tensions as loose as a bicycle chain and as tight as a guitar string. Belt tension is extremely important in timing systems and should be kept as low as possible. In general, low belt tension improves belt life and reduces wear on other system components.

Belt tension should not be increased to reduce sag between pulleys (see BELT SAG, this page). Over tensioned belts may develop a crossbow, much like that on a tape measure. In addition to cross bow, over tensioning will cause uneven motion, reduce repeatability, and reduce belt life.

Belt tension should be determined by operating the system and selecting the lowest possible workable tension. This can be maintained through the use of air cylinders, springs, or jack screws.

Belt Technologies recommends 1000 to 5000 psi (6.9 to 34.5 N/mm²) for friction systems and 1000 psi (6.9 N/mm²) for timing systems.

Figure 15. Timing Pulleys



SYSTEM FRAME STIFFNESS:

A stiff system frame is necessary to allow fine adjustments for timing and belt tracking. If there is uncontrolled flex in the system frame, the system will bow when the belt is tensioned. Offsetting one force (system flex) with another force (axis adjustment) does not provide a controlled system and can result in tracking problems. To make sure that any axis adjustments are controllable, it is important to design sufficient stiffness into the system.

REVERSE BENDS:

The best system design utilizes two pulleys. Adding reverse bends to the system adds bending stress, compromising belt life. Because each pulley can have a steering influence, tracking problems can result.

CANTILEVERED SHAFTS:

It is preferable for pulley shafts to have solid termination points at each end. Cantilevered shafts can create a pivot. When tension is introduced, the shaft may deflect and can cause tracking problems. If cantilevered shafts are necessary, their stiffness must be ensured through the frame design and shaft rigidity.

MAGNETIC PERMEABILITY:

Magnetic permeability is commonly defined as a measure of the ability of a substance to carry magnetism as compared to air, which has a permeability of 1.

Three hundred series stainless steels are considered to be nonmagnetic, but the cold working used to produce their spring temper and high tensile strength results in an increase in magnetic permeability. Therefore, a 301 full hard has a greater magnetic permeability than 301 half hard. Generally, 316 stainless has the lowest magnetic permeability but is difficult to obtain in the full hard condition.

Refer to the Appendix for rated magnetic permeability properties of common metal belt alloys.

BELT SAG:


When the span between pulleys is long, the belt can sag. Even on the tight side of tension there is some sag. To ensure proper tension and prevent sagging, drag the working surface of the belt across a stationary support surface such as ultra-high molecular weight materials (UHMW).

ELEVATED TEMPERATURES:

If a metal belt will be exposed to elevated temperatures, it is crucial that the material selected for the belt, as well as any attachments or surface treatments, be able to withstand the temperature. Consideration also must be given to the expansion and contraction of the materials as temperature fluctuates. Changes due to temperature will impact timing, tracking, tension, flatness, and other factors.

Table 4 lists the principal alloys used in specific temperature ranges as well as corresponding thermal expansion coefficients and yield strengths. Table 5 illustrates how physical properties of 17-7 CH-900 change as a function of temperature.

Table 5. Physical Properties vs. Temperature Changes (17-7 CH-900)



ALLOY	TEMPERATURE RANGE °F (°C)	MEAN COEFFICIENT OF THERMAL EXPANSION 10 ⁻⁶ IN/IN/°F (cm/cm/°Cx10 ⁻⁶)	MEAN YIELD STRENGTH OF TEMPERATURE RANGE IN 1000 PSI (N/mm ²)
301/302 Full Hard	68° to 400° (20° to 205°)	9.8 (17.6)	160 to 135 (1100 to 930)
17-7 CH-900	400° to 800° (205° to 425°)	6.6 (11.9)	220 to 170 (1500 to 1170)
Inconel® 718 Solution Annealed and Heat Treated	800° to 1,000° (425 to 540)	8.4 (15.1)	157 to 155 (1080 to 1070)

Table 4. Elevated Temperature Characteristics of Principal Alloys

BELT CREEP:


Belt Creep is a phenomenon associated with power transmission between a drive pulley and the tensile member of the belt. Due to creep in a friction drive system, the pulley actually moves slightly faster than the belt.

Consider Figure 16. The 180° of wrap between drive pulley and belt is divided into two arcs:

- The idle arc (where no power is transmitted)
- The effective arc, also called the angle of creep (where power transmission occurs)

Within the idle arc, the belt and pulley surfaces are in static contact and no power is transmitted. The belt runs onto the pulley with tight-side tension T1 and speed V1 which matches the surface speed V1 of the drive pulley. Both speed and tension remain constant as contact continues through the idle arc.

Figure 16. Creep Theory
AB is the idle arc. BC is the effective arc.



Within the effective arc, the belt and pulley surfaces are in sliding contact and the surface speed of the pulley is greater than that of the belt. This phenomenon is caused by dimensional changes in the belt due to the differential forces acting on it as it passes around the pulley. As sliding contact occurs, frictional forces are developed to match changes in belt tension and power is transmitted.

Because the tensile member of a metal belt is the metal belt with its associated high modulus of elasticity, creep in a metal belt is much less than that for belts made of most other materials.

If not controlled, however, creep in a friction drive metal belt results in a loss of repeatability. Fortunately, creep in metal belts is easily controlled.

Timing teeth or lugs are the most common way to combat creep. The number of timing locations should be the smallest number possible which prevent creep from occurring. In many systems it is possible to have as few as six to eight timing locations in the circumference of the pulley.

APPENDIX: METAL BELT MATERIALS

Particularly demanding applications, such as those involving high temperatures, extremely corrosive environments, or unusual electrical or magnetic requirements may preclude the use of certain alloys for metal belts and drive tapes. The following Materials Table summarizes important selection criteria.

DESIGN IMPOSED RESTRICTIONS:

Application restrictions such as space limitations, or unusual chemical, thermal, electrical, or system requirements, may demand design trade-offs. Consider these examples:

• Metal belts do operate on pulleys with diameters as small as .25"/6.35mm, but belt life is reduced.

• Belts operate in ovens up to 1,094°F/590°C, but because much of the belt's strength comes from cold working or specific heat treatments, such high temperatures reduce belt strength. Refer to Table 6.

• Doctor blades can induce a cupping effect across the belt width. Properly designed doctor blades such as those made of UHMW can minimize the negative effects.

BELT LIFE:

Belt life means different things to different people and different processes. Belt life of 10,000 revolutions may be excellent for one application; another belt may make 10,000 revolutions each hour.

So how long can you expect your metal belt to last? While not trying to avoid what is a fair question, the best answer is: it depends.

It depends on factors such as system design, material strength, environment, stress, tension, surface treatments, attachments, etc. The same factors that have an affect on the design of your system and your metal belts also effect belt life.

With the preceding in mind, it is indeed reasonable to say that metal belts have the potential to significantly outlive other belt types and chain. They also have the potential to be more accurate and repeatable, lighter and faster, and more cost effective.

A discussion with a member of our engineering staff can help you estimate the belt life you can expect in your specific application.

Table 6. Some of the most popular metal belt alloys and their room temperature engineering properties

ALLOY	YIELD STRENGTH (0.2% OFFSET) 1000 PSI (N/mm ²)	TENSILE STRENGTH 1000 PSI (N/mm ²)	ELONGATION IN 51mm %	HARDNESS	TENSILE MODULUS OF ELASTICITY IN 10 ⁶ PSI (in 10 ⁹ N/mm ²)	POISSON'S RATIO (g/cm ³)	DENSITY #/IN ³ cal/cm ² /sec/°C/cm	THERMAL CONDUCTIVITY (32° TO 212° F) BTU/FT ² /HR/°F/IN cm/cm/°C x10 ⁻⁶ (0° to 100° C)	THERMAL EXPANSION COEFFICIENT (32° TO 212° F) cm/cm/°C x 10 ⁻⁶ (0° to 100° C) in/in/°F	MAGNETIC PERMEABILITY	CORROSION RESISTANCE
301 FULL HARD	160 (1100)	180 (1240)	5-15	RC40-45	28 (1.93)	.285	0.29 (7.9)	113 (.039)	9.4 16.9	L-M	M
301 HIGH YIELD	260 (1790)	280 (1930)	1	N/A	26 (1.79)	.285	0.29 (7.9)	113 (.039)	9.4 16.9	M-H	M
302 FULL HARD	160 (1100)	180 (1240)	1-5	RC40-45	26 (1.93)	.285	0.29 (7.9)	113 (.039)	9.6 17.3	L-M	M-H
304 FULL HARD	160 (1100)	180 (1240)	1-5	RC40-45	26 (1.93)	.285	0.29 (7.9)	113 (.039)	9.6 17.3	L-M	M-H
316 FULL HARD	175 (1200)	190 (1310)	1-2	RC35-45	28 (1.93)	.285	0.28 (7.9)	97 (.036)	8.9 16.0	L	H
716 FULL HARD	210 (1450)	260 (1790)	5-10	RC52	32 (2.20)	.285	0.28 (7.9)	170 (.059)	5.9 10.6	H	L-M
17-7 CONDITION C	185 (1275)	215 (1480)	5	RC43	28 (1.93)	.305	0.28 (7.8)	114 (.037)	8.5 15.3	M-H	M-H
17-7 CH-900	240 (1655)	250 (1720)	2	RC49	29 (2.00)	.305	0.28 (7.8)	114 (.037)	6.1 10.9	M-H	M-H
INCONEL® 718 CARBON STEEL	175 (1200)	210 (1450)	17	RC41	29 (2.00)	.284	0.29 (7.9)	86 (.030)	6.6 11.9	L	H
CARBON STEEL SAE 1095	240 (1650)	260 (1790)	7-10	RC50-55	30 (2.07)	.287	0.29 (7.9)	360 (.124)	5.8 10.5	H	L
TITANIUM 15V-3CR-3Al-3SN	150 (1030)	165 (1140)	11	RC35	15 (1.03)	.300	0.17 (4.7)	56 (.019)	5.5 9.7	L	H
INVAR 36	50 (340)	75 (520)	30	RB80	20 (1.38)	.317	0.30 (7.9)	120	2.1 1.2	L	M-H



We hope this introduction to metal belt technology provided you with an understanding of important design considerations and helped you qualify your application. Our unique metal belt technology has resulted in a wide range of solutions for a long and growing list of satisfied customers. We will provide a list of these companies at your request.

Should you require further assistance and design review, please contact a Belt Technologies engineer by telephone, fax or e-mail.

Please fax the design checklist from the facing page with your application information. Thank you for your interest in Belt Technologies.



STEEL BELT DESIGN CHECKLIST

Use additional sheets for further information, if appropriate

In the U.K., Europe & the Pacific Rim:

Belt Technologies Europe
4th Floor, Pennine House
Washington
Tyne and Wear NE37 1LY
United Kingdom
Tel: +44 (0)191-415-3010
Fax: +44 (0)191-415-0333
E-Mail: sales@bte.co.uk
www.belttechnologies.co.uk

In the Americas:

Belt Technologies, Inc.
Corporate Headquarters
11 Bowles Road
Agawam, MA 01001
USA
Tel: (413) 786-9922
Fax: (413) 789-2786
E-Mail: engineer@belttechnologies.com
www.belttechnologies.com

FROM: _____ (Name)
 _____ (Company)
 _____ (Address)

 _____ (Tel / Fax)

1. Use: CONVEY INDEX TIME POSITION POWER TRANSMISSION

2. Size Considerations:

Belt Width _____ Pulley Diameter _____
 Number of Pulleys _____ Pulley Centers _____

3. Loading:

Belt Speed _____ Max Drive Torque _____
 Acceleration _____ Static Load _____

4. Desired Belt Characteristics:

Strength Precision Cleanliness Corrosion Resistance Thermal Conductance
 High Temperature _____ °C °F

5. Quantities: Number of Belts to be quoted _____ Number of Pulleys to be quoted _____

6. Please Include a diagram of your system.



In the Americas:

*Belt Technologies, Inc.
Corporate Headquarters
11 Bowles Road
Agawam, MA 01001
USA
Tel: (413) 786-9922
Fax: (413) 789-2786
E-Mail: engineer@belttechnologies.com
www.belttechnologies.com*

In the U.K., Europe & the Pacific Rim:

*Belt Technologies Europe
4th Floor • Pennine House
Washington
Tyne and Wear NE37 1LY
United Kingdom
Tel: +44 (0)191-415-3010
Fax: +44 (0)191-415-0333
E-Mail: sales@bte.co.uk
www.belttechnologies.co.uk*